

000 228,800 • +  
148,300 • -  
80,500 • \*



**BOD/CBOD****Matrix: WATER****Lab Sample No.: 970875****QA Batch No.: 1798****Lab Job No.: C627**

<b>Laboratory Blank</b>	
<b>Blank Conc</b> Units: mg/l	<b>Quant Limit</b> Units: mg/l
ND	5.0

<b>Matrix Spike</b>				
<b>Spike Added</b> Units: mg/l	<b>Sample Conc</b> Units: mg/l	<b>MS Conc</b> Units: mg/l	<b>MS</b> % Rec	<b>% Recovery</b> Limits
142	ND	140	98.6	76-145

<b>Matrix Spike Duplicate</b>				
<b>Spike Added</b> Units: mg/l	<b>MSD Conc</b> Units: mg/l	<b>MSD</b> % Rec	<b>%</b> RPD	<b>RPD</b> Limits
142	143	101	2.1	25.0

<b>Laboratory Control Sample</b>				
<b>Vendor</b>	<b>Lot #</b>	<b>True Value</b> Units: mg/l	<b>Range</b>	<b>Measured</b> Value (mg/l)
			Units: mg/l	
ERA	P151-516	142	87.6-192	127

Lab Job No: C916

Matrix: WATER

Site: Newark PVSC

QA Batch: 1798

**BOD**

Lab ID	Client ID	Date Sampled	Date Analyzed	Percent Moisture	DF	Analytical Result Units: mg/l	Reporting Limit Units: mg/l
972538	20630002-1_Com	12/09/08	12/10/08		1.0	5.5	5.00*

\* Reported RL is adjusted for Dilution Factor and/or Percent Moisture.

\*\* The unadjusted RL for BOD = 5.0 mg/l.

Lab Job No: C916

Matrix: WATER

Site: Newark PVSC

QA Batch: 1798

**BOD**

Lab ID	Client ID	Date Sampled	Date Analyzed	Percent Moisture	DF	Analytical Result Units: mg/l	Reporting Limit Units: mg/l
972538	20630002-1_Com	12/09/08	12/10/08		1.0	5.5	5.00*

\* Reported RL is adjusted for Dilution Factor and/or Percent Moisture.

\*\* The unadjusted RL for BOD = 5.0 mg/l.

**Creamer Environmental Inc.  
Water Meter Log for  
PSEG SC Former Market Street MGP Site**

1/9/2009

Date	Prior Meter Reading	Current Meter Reading	Difference	Progress Totals	Comments
9/23/2008		00000314			Initial meter reading
9/26/2008	00000314	00020300	19,986	19,986	TestAmerica Sampled 9/25-9/26
9/29/2008	00020300	00034300	14,000	33,986	
9/30/2008	00034300	00040700	6,400	40,386	
10/2/2008	00040700	00049800	9,100	49,486	TestAmerica Sampled 10/2-10/3
10/6/2008	00049800	00059700	9,900	59,386	
10/7/2008	00059700	00073700	14,000	73,386	
10/9/2008	00073700	00074500	800	74,186	
10/10/2008	00074500	00079400	4,900	79,086	
10/13/2008	00079400	00087100	7,700	86,786	
10/14/2008	00087100	00087700	600	87,386	
10/15/2008	00087700	00089500	1,800	89,186	
10/23/2008	00089500	00095000	5,500	94,686	
10/27/2008	00095000	00095500	500	95,186	
10/29/2008	00095500	00111400	15,900	111,086	
11/5/2008	00111400	00120600	9,200	120,286	
11/6/2008	00120600	00126400	5,800	126,086	
11/7/2008	00126400	00131900	5,500	131,586	Frac Tank Swap Out and Prep
11/13/2008	00131900	00138100	6,200	137,786	TestAmerica Sampled 11/12-11/13
11/24/2008	00138100	00148300	10,200	147,986	
12/11/2008	00148300	00154400	6,100	154,086	TestAmerica Sampled 12/8-12/9
12/15/2008	00154400	00186600	32,200	186,286	
12/18/2008	00186600	00195900	9,300	195,586	
12/31/2008	00195900	00228800	32,900	228,486	

Dec 23, 2008

Creamer Environmental, Inc.  
215 Union Street  
Hackensack, NJ 07601

Attention: Ms. Tracy Straka

**TestAmerica**

THE LEADER IN ENVIRONMENTAL TESTING

777 New Durham Road  
Edison, NJ 08817  
Tel 732 549 3900  
Fax 732 549 3679  
www.testamericainc.com  
Federal ID #:23-29199996

Laboratory Results  
Job No. C916 - Newark PVSC

Dear Ms. Straka:

Enclosed are the results you requested for the following sample(s) received at our laboratory on December 9, 2008.

<u>Lab No.</u>	<u>Client ID</u>	<u>Analysis Required</u>
972537	20630002-1_Grab	TTO VOA 1664 SGT HEM PITT
972538	20630002-1_Comp	Cd,Cu,Hg,Ni,Pb,Zn BOD

This report is not to be reproduced, except in full, without the written approval of the laboratory.

TestAmerica Edison has following Laboratory Certifications: New Jersey(12028), New York(11452), Pennsylvania(68-00522), Connecticut(PH-0200), Rhode Island(LAO00132)

An invoice for our services is also enclosed. If you have any questions, please contact me at (732) 549-3900.

Very Truly Yours,



Alison Sedlak  
Project Manager

## CHAIN OF CUSTODY / ANALYSIS REQUEST

Page 1 of 1

<b>TestAmerica</b> 777 New Durham Road Edison, New Jersey 08817 Phone: (732) 549-3900 Fax: (732) 549-3679	
Name ( for report and invoice )	
Ms. Tracy Straka	
Company	
Creamer Environmental, Inc.	
Address	
215 Union Street	
City	Slate NJ
Hackensack	
Phone	Fax
201-888-4800	
Sample Identification	Date
20630002-1 Grab	12/9/09
20630002-1 Composite	12/9/09
Preservation Used: 1 = ICE, 2 = HCl, 3 = H <sub>2</sub> SO <sub>4</sub> , 4 = HNO <sub>3</sub> , 6 = Other, 7 = Other	
Special Instructions <i>June 11</i> Relinquished by <i>Edward King</i> Company <i>Test Am</i> Relinquished by _____ Company _____ 2) _____ Company _____ Relinquished by _____ Company _____ 3) _____ Company _____ Relinquished by _____ Company _____ 4) _____ Company _____	
Laboratory Certifications: New Jersey (12028), New Massachusetts (M-NJ312) North Carolina (No. 578)	

Water Metals Filtered (Yes/No)?

Special Instructions

12/

32

5

現元

25

5

Mr.

无

tions

## Instructions

**Special**

100

7

Relinquished by	Company	Date / Time	Received by	Company
1) <i>[Signature]</i>	Test America	12/1/08 1500	1) <i>[Signature]</i>	Company
2) <i>[Signature]</i>	Company		2) <i>[Signature]</i>	Company
3) <i>[Signature]</i>	Company		3) <i>[Signature]</i>	Company
4) <i>[Signature]</i>	Company		4) <i>[Signature]</i>	Company

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).

Massachusetts (M-NJ312), North Carolina (No. 578)

(odax temp - 30c - #98